

LABORATORY REPORT

Insurance : No

STD 28 PANEL (REAL TIME PCR) MOLECULAR BIOLOGY/GENETICS

Test Name	Result	Units	Ref. Range	Method
*Chlamydia Trachomatis PCR	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma hominis	Not Detected		Not Detected	RT PCR (NAAT)
*Neisseria Gonorrhoeae	Detected		Not Detected	RT PCR (NAAT)
*Trichomonas vaginalis	Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Parvum	Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Cytomegalovirus (CMV) (PCR)			Not Detected	RT PCR (NAAT)
*Haemophilus ducreyi	Detected		Not Detected	RT PCR (NAAT)
*HSV I PCR	Not Detected		Not Detected	RT PCR (NAAT)
*HSV II PCR	Not Detected		Not Detected	RT PCR (NAAT)
*Lymphogranuloma venereum (LGV)	Not Detected		Not Detected	RT PCR (NAAT)
*Treponema pallidum	Not Detected		Not Detected	RT PCR (NAAT)
*Varicella Zoster Virus (PCR)	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Albicans	Not Detected		Not Detected	RT PCR (NAAT)
*Candida dubliniensis (CD)	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Glabrata	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Krusei	Not Detected		Not Detected	RT PCR (NAAT)
*Candida lusitanae (CL)	Not Detected		Not Detected	RT PCR (NAAT)
*Candida parapsilosis (CP)	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Tropicalis	Not Detected		Not Detected	RT PCR (NAAT)
*Atopobium vaginae (AV)	Detected		Not Detected	RT PCR (NAAT)
*Bacterial vaginosis-associated bacteria 2 (BVAB2)	Not Detected		Not Detected	RT PCR (NAAT)
*Bacteroides fragilis (BF)	Not Detected		Not Detected	RT PCR (NAAT)
*Gardnerella Vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Lactobacillus spp. (Lacto)	Not Detected		Not Detected	RT PCR (NAAT)
*Megasphaera Type 1 (Mega1)	Detected		Not Detected	RT PCR (NAAT)
*Mobiluncus spp. (Mob)	Not Detected		Not Detected	RT PCR (NAAT)

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

H/L Collected On : 03-03-2023 10:29:00 Received On : 03-03-2023 10:29:00

Authenticated On : Released On :

LABORATORY REPORT

Insurance : **No**

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

REAL TIME PCR STIs detects the presence of microorganisms causing infections in clinical samples (Urine, Swab, and liquid based cytology specimens). Detection is carried out by the specific amplification of each type of organism in the sample, originating a variable fragment with limit of detection up to 100 genomic copies/reaction).

For optimal results of STD analysis in urine, a first catch urine sample is preferred.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

H/L Collected On : 03-03-2023 10:29:00 Received On : 03-03-2023 10:29:00

Authenticated On : Released On :